






- 6-8% of pregnant women in Canada
- 30.2% of women who reported physical or sexual abuse in Ontario said the abuse occurred during a pregnancy

(SOGC,2005; PHAC, 2009)



Impact of Abuse

Physical injuriesPremature rupture of the membranesHigher rates of abuseInternal bleedingthe membranesPhysical injuryUnwanted pregnancyRupture of the placentaDisorders ofDecreased self-esteemFetal hemorrhageattachmentDepressionMiscarriageReduced self-AnxietyPossible changes in brain architecture (toxicMood and anxietySleep and eating disordersstress)School-related problemsDeathSubstance useSubstance use



Information

- Wallet cards
- Pamphlets
- Posters






Screening

• When women are alone (Ontario Woman Abuse Screening Project, 2000)


<section-header><section-header><list-item><list-item><list-item><list-item><list-item></table-row></table-row></table-row><list-item></table-row><list-item></table-row><list-item></table-row><list-item></table-row><list-item></table-row><list-item></table-row>









- Do you discuss abuse with women in your prenatal education practice?
- If you ask about abuse, what do you say? What words do you use?
- Do you use a violence/abuse screening tool? If so, which one(s)?



















Johnson's Types of Intimate Partner Violence (2008)					
	Client		Partner		
Type of IPV	Violent	Controlling	Violent	Controlling	
Intimate Terrorism	×	×	\checkmark	\checkmark	
Violent Resistance	\checkmark	×	\checkmark	\checkmark	
Situational Couple Violence	\checkmark	×	\checkmark	×	
			Johnson, 2008; k	Kelly & Johnson, 2	